



Immunisation Regimes

Varicella

Number of injections: 2

Number of immunity blood tests: 0

Regime: 1) Injection
2) Injection 6 to 8 weeks after injection 1

Hepatitis A

Number of injections: 2

Number of immunity blood tests: 0

Regime: 1) Injection
2) Injection 6 months after injection 1

Hepatitis B (Primary) - Preferred option

Number of injections: 4

Number of immunity blood tests: 1

Regime: 1) Injection
2) Injection 1 month after injection 1
3) Injection 1 month after injection 2
4) Blood tests 2 to 4 months after injection 3
5) Injection (booster) 12 months after injection 3

Hepatitis B (Accelerated)

Number of injections: 4

Number of immunity blood tests: 1

Regime: 1) Injection
2) Injection 7 days after injection 1
3) Injection 14 days after injection 2
4) Blood tests 2 to 4 months after injection 3
5) Injection (booster) 12 months after injection 3

Tuberculosis TB/BCG

Number of injections: 1

Number of immunity blood tests: 0

Regime: 1) Injection

Tuberculin skin test (Mantoux) or an interferon-gamma test is required prior to vaccination. The result of this test must be negative.

Typhoid

Number of injections: 1

Number of immunity blood tests: 0

Regime: 1) Injection

Must be given every 3 years to ensure protection.

Influenza

Number of injections: 1

Number of immunity blood tests: 0

Regime: 1) Injection (once a year)

Tetanus

Number of injections: 1

Number of immunity blood tests: 0

Regime: 1) Injection
Booster required every 10 years